


BARBOUR WELTING CO.

SPECIALIZING IN THE FINEST GENUINE LEATHER GOODYEAR WELTS



A world leader since 1892

B A DIVISION OF
BARBOUR
CORPORATION

TABLE OF CONTENTS

Guide to Ordering	1
Goodyear Welts	2, 3
New Classic Welts	4, 5
Leather Bonwelts[®]	6, 7
Leather & Leatherboard Bonwelts[®]	8, 9
Plastic Bonwelts[®]	10, 11

Customer satisfaction has always been the primary goal of the Barbour Welting Company. By offering the latest styles, using superior quality materials and unsurpassed workmanship, Barbour remains the world leader in shoe welting.

Today, the Barbour Welting Co. is responding to the needs of the shoe industry as never before—shipping to all corners of the globe.

Whether your company requires Goodyear welting for welt constructed shoes or styled Bonwelt® (Randwelt) for a cement-constructed shoe, Barbour Welting Co. is there, ready to satisfy even the most demanding needs.

Barbour's welting lines offer endless styling possibilities with our distinctive product materials and unique styling approaches.

LEATHER

Our leather Goodyear and Bonwelts® are selected from the finest vegetable tanned leathers available and provide the highest quality, most dependable welting in the world.

LEATHERBOARD

Barbour offers this economical leather alternative for those who like the leather look.

PLASTIC

Plastic welting provides the greatest variety in color and shape at the lowest cost.


The Barbour Welting team is eager to custom design the perfect welt for your unique application. Our in-house tool and die shop provides rapid turnaround on all custom designed welts.

GUIDE TO ORDERING

TYPE OF SHOE CONSTRUCTION

CEMENT CONSTRUCTION - BONWELT® (RANDWELT)


1. Order by width and thickness (B & C).
2. Specify total welt extension (A) — the distance from shoe upper to sole edge).
3. Specify desired material (leather, leatherboard, PVC, etc.).
4. Specify wheeling, stitching and/or notching and desired number per inch.



GOODYEAR WELT CONSTRUCTION

1. Specify width and thickness.
2. Specify leather or plastic.
3. Specify color.
4. Specify type of shoe and construction (boot, childrens', pre-welt, silouwelt, mens' dress shoe, etc.).

Options: Wheeling, notching, stitching.



GOODYEAR WELTS

LEATHER

— 0708A —

— 30-18544-01 —

— 1896D-10
— 20-16844 —

— 16533-01
— 16888-00 —

— 1428A-00
— 16844-01 —

— 18844-02
— 15844-02 —

— 20-16844-01
— 20-17888-1 —

PLASTIC


— 134PS
— 151PW —

— 218PWN
— 149P —

— 130P
— 249P —

— 9202P —

— 243P —



GOODYEAR WELTS













Goodyear welt construction is still regarded as a superior method of shoemaking because of its many advantages. It provides strength, shape retention, durability, and is repairable.

Whether you are crafting a quality dress shoe or a durable work boot, Barbour can design a welting specifically tailored to your needs. Our leather welts are cut from that portion of the vegetable tanned shoulder that meets your flexibility criteria.









We offer a complete line of high molecular weight PVC and PVC-nitrate rubber blends such as our top of the line Barbonite[®], an oil resistant material suited for harsh environments.



Whatever the application, Barbour Corporation is ready to help. Please contact us for details.

LEATHER GOODYEAR

Style	Profile	Specifications as shown
0708A		7/32 x 2/32 Lt. Natural Stitchdown
30-18544-01		9/16; Pen Black Pre-stitched 6/in. Reverse Welt
1896D-10		9/16 x 1/9 Polo Tan Goodyear Welt
20-16844		1/2 x 1/8 Pen Black Stormwelt
16533-01		1/2 x 5/32; Pen Mahogany Step Bevel; Goodyear Welt
16888-00		1/2 x 1/8; Natural color Goodyear Welt
1428A-00		7/16 x 1/12; Light Natural 8A Childrens' Welt
16844-01		1/2 x 1/8; Pen Black Mens' Dress Welt
18844-02		9/16 x 1/8; Pen Black Wheel 8/in. Mens' Boot Welt
15844-02		15/32 x 1/8; Pen Black Goodyear Welt
20-16844-01		1/2 x 1/8; Pen Black White Stitch 6/in. Doubledeck Stormwelt
20-17888-1		17/32 x 1/8; Natural Notched Bead 6/in. Wheel 16/in. Stormwelt

PLASTIC GOODYEAR















Style	Profile	Specifications as shown
130P		Russett PVC Goodyear Welt
134PS		Fawn Barflex White Stitch 6/in.
149P		Banana PVC Goodyear Welt
151PW		Mahogany PVC Wheel 13/in.
218PWN		Black PVC Wheel 16/in. Notched Bead 6/in.
243P		Walnut Hondo PVC Hookbead Stormwelt
249P		Mahogany PVC Reverse Welt
9202P		Co-extruded Stormwelt Florescent Orange Bead Black Barbonite Base
















NEW CLASSIC WELTS




NEW CLASSIC WELTS

Reference No.	Profile	Item No.
BC 001		S 534-44
BC 002		36X-198
BC 003		370X-1199
BC 004		94129NAS 8826
BC 005		9390 NWA-8826
BC 006		9386 NWS-0752
BC 007		455X-300
BC 008		377 NAS-0844
BC 009		94132 NWA-8826
BC 010		L 632
BC 011		497 NWASS-0807
BC 012		9386 NSAW-8826
BC 013		94137GD-0844
BC 014		S 534-Q3



Reference No.	Profile	Item No.
BC 015		F 20800-010
BC 016		R 185Q3-003
BC 017		293K
BC 018		195K
BC 019		288 NW-0732
BC 020		SE-18A3-MD0
BC 021		180K-899
BC 022		215K-200
BC 023		220K-1199
BC 024		273 NWA-0807
BC 025		F 16844-D01
BC 026		288-NWA-8826


LEATHER BONWELTS®



LEATHER BONWELTS®

Barbour Corporation selects only the finest quality tight fiber leather for its highly regarded leather Bonwelts®.


Styling possibilities are endless. Variations in size, antiquing effects, wheeling techniques as well as pre-stitching methods can be applied to achieve a desired look. At Barbour Corporation, helping you achieve the style statement you wish to make is our ultimate goal.



Style	Profile	Specifications as shown
328		Q3 Antique CW4 Notching 3/32 Deck
376		2B Brown color Wheel 14/in. 4/32 Deck
395		Full Grain White Stitch 7/in. 7/32 Deck
418		Natural color White Stitch 5/in. 7/32 Deck
453		Natural color White Stitch 8/in. 4/32 Deck
454		Natural color White Stitch 5/in. 6/32 Deck
527		2B Brown 3/32 Deck
601		2B Brown Wheel 20/in. 4/32 Deck
630		Buff Burnished Recessed White Stitch 7/in. 5/32 Deck
665		Mahogany Wheel 16/in. 5/32 Deck
665		Full Grain Wheel 16/in. 5/32 Deck

Style	Profile	Specifications as shown
670		Buff Burnished Pinked Filler 8/32 Deck
713		Q3 Antique Wheel 16/in. 4/32 Deck
755		Black Wheel 14/in. 4/32 Deck
756		Q3 Antique Wheel 20/in. 6/32 Deck
756		Black Wheel 20/in. 6/32 Deck
758		Buff Grain Wheel 14/in. 5/32 Deck
764		2F color Wheel 16/in. 6/32 Deck
900		Q3 Antique 5/32 Deck
930		Black Braided Wheel 6/32 Deck
930		Q3 Antique Braided Wheel 6/32 Deck
945		2B Brown 4/32 Deck

LEATHER & LEATHERBOARD BONWELTS[®]



LEATHER

1502
1503

1504
1505

1508
1508

1511
1512

LEATHERBOARD

389D
407D

407D
640D

737D
755D

769D
956D


1348DN
1349D

1351D


LEATHER & LEATHERBOARD BONWELTS®

Barbour Corporation offers an economical “leather look” welting by using a high-grade, reconstituted leather material. Leatherboard is exceptionally pliable and can be a cost saving alternative for cement constructed shoes.

Whether your choice is beaded, falt, wheeled, stitched, antiqued, or a full grain Bonwelt®, Barbour Corporation can help you achieve the style statement you wish to make.



BONWELT



LEATHER BONWELTS®

Style	Profile	Specifications as shown
1502		Buff color White Stitch 5/in.
1503		5F color Wheel 16/in. Edge
1504		Natural color Wheel 20/in. Edge
1505		5F color Wheel 14/in. Bead
1508		5F color Wheel 16/in. Edge
1508		G2 color Wheel 16/in. Edge
1511		Q3 Antique Wheel 16/in. Edge Notched Bead 7/in.
1512		Q3 Antique Notched Bead 7/in.

LEATHERBOARD

Style	Profile	Specifications as shown
389D		2B Brown Brown Stitch 6/in. 8/32 Deck
407D		Natural color White Stitch 5/in. 5/32 Deck
407D		2F color Straw Stitch 6/in. 5/32 Deck
640D		Buff color Wheel 8/in. 5/32 Deck
737D		S6 color Wheel 14/in. 4/32 Deck
755D		Dark Brown Wheel 14/in. 4/32 Deck
769D		Black Wheel 20/in. 5/32 Deck
956D		Black Wheel Stitch 5/in. 6/32 Deck
1348DN		S6 color Notched Lip Mahogany Stitch 5/in. 6/32 Deck
1349D		S6 color Scalloped Lip Mahogany Stitch 5/in. 8/32 Deck
1351D		S6 color Scalloped Lip Wheel 16/in. 6/32 Deck

PLASTIC BONWELTS®




PLASTIC BONWELTS®

The Plastic Bonwelts® shown are but a sampling of the hundreds of profiles available.

Barbour Corporation can provide an array of material to suit your needs—from high-grade PVC, nitrile rubber Barbonite®, leather look™ Barflex®, to our thermoplastic rubber for insert molding.

The Bonwelt®, a styled welting used for cement constructed shoes, offers a myriad of styling possibilities. Whether enhancing the sole edge with a bead, edge wheeling or stitching, Barbour can customize the welt which best suits your particular styling needs.



Style	Profile	Specifications as shown
302TP-3		Dove Grey Thermoplastic Rubber 3/32 Deck
302P-3		Neon Lime Green PVC 3/32 Deck
312P-3		Scarlet PVC 3/32 Deck
315P-2		Powder Blue PVC 2/32 Deck
344PS-8		Coffee PVC Brown Stitch 6/in.; Wheel 20/in. 8/32 Deck
344P-8		Black PVC 8/32 Deck
358PW-6		Fawn PVC Wheel 10/in. 6/32 Deck
407PW-4		Rodeo PVC Wheel 16/in. 4/32 Deck
407P-4		Royal Blue PVC 4/32 Deck
407PS-4		White Blue Cloud PVC White Stitch 7/in. 4/32 Deck
408PW-5		Brown Antique on Wheat PVC Wheel 20/in. 5/32 Deck
408PS-5		Red Tan PVC White Stitch 6/in. 5/32 Deck
408PWS-6		Sand PVC Wheel 10/in.; Beige Stitch 5/in. 6/32 Deck

Style	Profile	Specifications as shown
411PS-8		Red Pepper Barflex White Stitch 6/in. 8/32 Deck
415PW-4		Brown Antique on Wheat PVC Wheel 16/in. 4/32 Deck
453P-4		Bass Tan PVC 4/32 Deck
457PCG		Black High Gloss PVC
472PW-6		Tan PVC Wheel 8/in. 6/32 Deck
497PSS-8		Sand Barflex; Scalloped Lip Double White Stitch 4/in. 8/32 Deck
499PWS-5		Black PVC; Wheel 8/in. Red Stitch 6/in. 5/32 Deck
508P		Shamrock PVC
551PS-4		Fawn PVC; White Stitch 6/in. 4/32 Deck
728P		Pineapple PVC; Piping
9001PS-4		C-extruded Platinum Top with Regent Blue Edge PVC White Stitch 8/in. 4/32 Deck
9328P-5		Co-extruded Banana Top with Forest Green Base PVC 5/32 Deck
9408PF-4		Crimson Simulated Stitch 12/in. on Khaki PVC 4/32 Deck
9403PW-3		Brown Antique on Black PVC Wheel 20/in. 3/32 Deck